RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	_/0/'/98.097
Source:	1FW/b
Date Processed by STIC:	3/2/06
•	

ENTERED



IFW16

```
RAW SEQUENCE LISTING
                                                             DATE: 03/02/2006
                     PATENT APPLICATION: US/10/798,097
                                                             TIME: 12:24:55
                     Input Set : A:\Sequence Listing.txt
                     Output Set: N:\CRF4\03022006\J798097.raw
     3 <110> APPLICANT: NILSSON, Fredrik
     5 <120> TITLE OF INVENTION: SCREENING ASSAY
     7 <130> FILE REFERENCE: 12578/46202
     9 <140> CURRENT APPLICATION NUMBER: 10/798,097
    10 <141> CURRENT FILING DATE: 2004-03-11
    12 <150> PRIOR APPLICATION NUMBER: 60/454,229
    13 <151> PRIOR FILING DATE: 2003-03-12
    15 <160> NUMBER OF SEQ ID NOS: 19
    17 <170> SOFTWARE: PatentIn version 3.3
    19 <210> SEQ ID NO: 1
    20 <211> LENGTH: 8
    21 <212> TYPE: PRT
    22 <213> ORGANISM: Artificial Sequence
    24 <220> FEATURE:
    25 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
    28 <220> FEATURE:
     29 <221> NAME/KEY: MOD RES
    30 <222> LOCATION: (1)..(1)
    31 <223> OTHER INFORMATION: Xaa is biotin-Ser
    33 <220> FEATURE:
     34 <221> NAME/KEY: MOD RES
    35 <222> LOCATION: (5)..(8)
    36 <223> OTHER INFORMATION: Xaa Xaa Xaa is Glu Asp Phe Arg, Glu Pro Glu Arg, His Pro
              Lys, Leu Gln Ser Lys, Pro Glu Glu Lys, Trp Asp Ser Arg, or Tyr
              Leu Asp Lys.
     40 <400> SEQUENCE: 1
W--> 42 Xaa Gly Ser Gly Xaa Xaa Xaa Xaa
     43 1
                        5
     46 <210> SEQ ID NO: 2
     47 <211> LENGTH: 8
     48 <212> TYPE: PRT
     49 <213> ORGANISM: Artificial Sequence
     51 <220> FEATURE:
     52 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     55 <220> FEATURE:
     56 <221> NAME/KEY: MOD RES
     57 <222> LOCATION: (1)..(1)
```

60 <400> SEQUENCE: 2

W--> 62 Xaa Gly Ser Gly Glu Asp Phe Arg

58 <223> OTHER INFORMATION: Xaa is biotin-Ser

5

Asp

37

38

63 1

66 <210> SEQ ID NO: 3 67 <211> LENGTH: 8

```
PATENT APPLICATION: US/10/798,097
                                                              TIME: 12:24:55
                     Input Set : A:\Sequence Listing.txt
                     Output Set: N:\CRF4\03022006\J798097.raw
     68 <212> TYPE: PRT
     69 <213> ORGANISM: Artificial Sequence
     71 <220> FEATURE:
     72 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     75 <220> FEATURE:
     76 <221> NAME/KEY: MOD RES
     77 <222> LOCATION: (1)..(1)
     78 <223> OTHER INFORMATION: Xaa is biotin-Ser
     80 <400> SEQUENCE: 3
W--> 82 Xaa Gly Ser Gly Glu Pro Glu Arg
     86 <210> SEQ ID NO: 4
     87 <211> LENGTH: 8
     88 <212> TYPE: PRT
     89 <213> ORGANISM: Artificial Sequence
     91 <220> FEATURE:
     92 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     95 <220> FEATURE:
     96 <221> NAME/KEY: MOD RES
     97 <222> LOCATION: (1)..(1)
     98 <223> OTHER INFORMATION: Xaa is biotin-Ser
     100 <400> SEQUENCE: 4
W--> 102 Xaa Gly Ser Gly Glu Pro Phe Arg
     103 1
     106 <210> SEQ ID NO: 5
     107 <211> LENGTH: 8
     108 <212> TYPE: PRT
     109 <213> ORGANISM: Artificial Sequence
     111 <220> FEATURE:
     112 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     115 <220> FEATURE:
     116 <221> NAME/KEY: MOD RES
     117 <222> LOCATION: (1)..(1)
     118 <223> OTHER INFORMATION: Xaa is biotin-Ser
     120 <400> SEQUENCE: 5
W--> 122 Xaa Gly Ser Gly His Pro Asp Lys
     123 1
     126 <210> SEQ ID NO: 6
     127 <211> LENGTH: 8
     128 <212> TYPE: PRT
     129 <213> ORGANISM: Artificial Sequence
     131 <220> FEATURE:
     132 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     135 <220> FEATURE:
     136 <221> NAME/KEY: MOD_RES
     137 <222> LOCATION: (1)..(1)
     138 <223> OTHER INFORMATION: Xaa is biotin-Ser
     140 <400> SEQUENCE: 6
W--> 142 Xaa Gly Ser Gly Leu Pro Ser Arg
```

RAW SEQUENCE LISTING

TIME: 12:24:55

```
Input Set : A:\Sequence Listing.txt
                     Output Set: N:\CRF4\03022006\J798097.raw
     143 1
     146 <210> SEO ID NO: 7
     147 <211> LENGTH: 8
     148 <212> TYPE: PRT
     149 <213> ORGANISM: Artificial Sequence
     151 <220> FEATURE:
     152 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     155 <220> FEATURE:
     156 <221> NAME/KEY: MOD RES
     157 <222> LOCATION: (1)..(1)
     158 <223> OTHER INFORMATION: Xaa is biotin-Ser
     160 <400> SEQUENCE: 7
W--> 162 Xaa Gly Ser Gly Leu Gln Ser Lys
     163 1
     166 <210> SEQ ID NO: 8
     167 <211> LENGTH: 8
     168 <212> TYPE: PRT
     169 <213> ORGANISM: Artificial Sequence
     171 <220> FEATURE:
     172 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     175 <220> FEATURE:
     176 <221> NAME/KEY: MOD RES
     177 <222> LOCATION: (1)..(1)
     178 <223> OTHER INFORMATION: Xaa is biotin-Ser
     180 <400> SEQUENCE: 8
W--> 182 Xaa Gly Ser Gly Pro Glu Glu Lys
     183 1
     186 <210> SEQ ID NO: 9
     187 <211> LENGTH: 8
     188 <212> TYPE: PRT
     189 <213> ORGANISM: Artificial Sequence
     191 <220> FEATURE:
     192 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     195 <220> FEATURE:
     196 <221> NAME/KEY: MOD RES
     197 <222> LOCATION: (1)..(1)
     198 <223> OTHER INFORMATION: Xaa is biotin-Ser
     200 <400> SEQUENCE: 9
W--> 202 Xaa Gly Ser Gly Thr Gly Glu Lys
     203 1
     206 <210> SEQ ID NO: 10
     207 <211> LENGTH: 8
     208 <212> TYPE: PRT
     209 <213> ORGANISM: Artificial Sequence
     211 <220> FEATURE:
     212 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     215 <220> FEATURE:
     216 <221> NAME/KEY: MOD RES
     217 <222> LOCATION: (1)..(1)
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/798,097

```
PATENT APPLICATION: US/10/798,097
                                                              TIME: 12:24:55
                     Input Set : A:\Sequence Listing.txt
                     Output Set: N:\CRF4\03022006\J798097.raw
     218 <223> OTHER INFORMATION: Xaa is biotin-Ser
     220 <400> SEQUENCE: 10
W--> 222 Xaa Gly Ser Gly Trp Asp Ser Arg
     223 1
     226 <210> SEQ ID NO: 11
     227 <211> LENGTH: 8
     228 <212> TYPE: PRT
     229 <213> ORGANISM: Artificial Sequence
     231 <220> FEATURE:
     232 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     235 <220> FEATURE:
     236 <221> NAME/KEY: MOD_RES
     237 <222> LOCATION: (1)..(1)
     238 <223> OTHER INFORMATION: Xaa is biotin-Ser
     240 <400> SEQUENCE: 11
W--> 242 Xaa Gly Ser Gly Tyr Leu Asp Lys
     243 1
     246 <210> SEQ ID NO: 12
     247 <211> LENGTH: 8
     248 <212> TYPE: PRT
     249 <213> ORGANISM: Artificial Sequence
     251 <220> FEATURE:
     252 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     254 <400> SEQUENCE: 12
     256 Ser Gly Ser Gly Ala Ser Ala Lys
     257 1
     260 <210> SEQ ID NO: 13
     261 <211> LENGTH: 8
     262 <212> TYPE: PRT
     263 <213> ORGANISM: Artificial Sequence
     265 <220> FEATURE:
     266 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     268 <400> SEQUENCE: 13
     270 Ser Gly Ser Gly Ala Ser Ala Arg
     271 1
     274 <210> SEQ ID NO: 14
     275 <211> LENGTH: 10
     276 <212> TYPE: PRT
     277 <213> ORGANISM: Artificial Sequence
     279 <220> FEATURE:
     280 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     283 <220> FEATURE:
     284 <221> NAME/KEY: MOD RES
     285 <222> LOCATION: (1)..(1)
     286 <223> OTHER INFORMATION: Xaa is biotin-Ser
     288 <400> SEQUENCE: 14
W--> 290 Xaa Gly Ser Gly Leu Tyr Glu Ile Ala Arg
     291 1
     294 <210> SEQ ID NO: 15
```

RAW SEQUENCE LISTING

```
PATENT APPLICATION: US/10/798,097
                                                              TIME: 12:24:55
                     Input Set : A:\Sequence Listing.txt
                     Output Set: N:\CRF4\03022006\J798097.raw
     295 <211> LENGTH: 10
     296 <212> TYPE: PRT
     297 <213> ORGANISM: Artificial Sequence
     299 <220> FEATURE:
     300 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     303 <220> FEATURE:
     304 <221> NAME/KEY: MOD RES
     305 <222> LOCATION: (1)..(1)
     306 <223> OTHER INFORMATION: Xaa is biotin-Ser
     308 <400> SEQUENCE: 15
W--> 310 Xaa Gly Ser Gly Asp Phe Ala Glu Asp Lys
     311 1
     314 <210> SEQ ID NO: 16
     315 <211> LENGTH: 10
     316 <212> TYPE: PRT
     317 <213> ORGANISM: Artificial Sequence
     319 <220> FEATURE:
     320 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     323 <220> FEATURE:
     324 <221> NAME/KEY: MOD RES
     325 <222> LOCATION: (1)..(1)
     326 <223> OTHER INFORMATION: Xaa is biotin-Ser
     328 <400> SEQUENCE: 16
W--> 330 Xaa Gly Ser Gly Leu Thr Glu Phe Ala Lys
     331 1
     334 <210> SEQ ID NO: 17
     335 <211> LENGTH: 10
     336 <212> TYPE: PRT
     337 <213> ORGANISM: Artificial Sequence
     339 <220> FEATURE:
     340 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     343 <220> FEATURE:
     344 <221> NAME/KEY: MOD RES
     345 <222> LOCATION: (1)..(1)
     346 <223> OTHER INFORMATION: Xaa is biotin-Ser
     348 <400> SEQUENCE: 17
W--> 350 Xaa Gly Ser Gly Thr Glu Glu Gln Leu Lys
     351 1
     354 <210> SEQ ID NO: 18
     355 <211> LENGTH: 10
     356 <212> TYPE: PRT
     357 <213> ORGANISM: Artificial Sequence
     359 <220> FEATURE:
     360 <223> OTHER INFORMATION: Peptide used as catcher agent when isolating Fv(scFv)
molecules
     363 <220> FEATURE:
     364 <221> NAME/KEY: MOD_RES
     365 <222> LOCATION: (1)..(1)
     366 <223> OTHER INFORMATION: Xaa is biotin-Ser
     368 <400> SEQUENCE: 18
```

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 03/02/2006 PATENT APPLICATION: US/10/798,097 TIME: 12:24:56

Input Set : A:\Sequence Listing.txt
Output Set: N:\CRF4\03022006\J798097.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seg#:1; Xaa Pos. 1,5,6,7,8
Seq#:2; Xaa Pos. 1
Seq#:3; Xaa Pos. 1/
Seq#:4; Xaa Pos. 1
Seq#:5; Xaa Pos. 1/
Seq#:6; Xaa Pos. /1
Seq#:7; Xaa Pos. 1
Seq#:8; Xaa Pos. 1/
Seq#:9; Xaa Pos. 1/
Seq#:10; Xaa Pos. 1
Seq#:11; Xaa Pos./1
Seg#:14; Xaa Pos. 1,
Seq#:15; Xaa Pos. 1
Seq#:16; Xaa Pos./1
Seq#:17; Xaa Pos. 1
Seq#:18; Xaa Pos. 1
Seq#:19; Xaa Pos. 1
```

VERIFICATION SUMMARY DATE: 03/02/2006 PATENT APPLICATION: US/10/798,097 TIME: 12:24:56

Input Set : A:\Sequence Listing.txt
Output Set: N:\CRF4\03022006\J798097.raw

```
L:42 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:62 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:82 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:102 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:122 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:142 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:162 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:182 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:202 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:222 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:242 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:290 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:310 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:330 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:350 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:370 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:390 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
```